



STEAM GENERATOR JUNIOR STAR MAX

Body material

Upper body cover: **PE**

Lower body cover: **varnished steel**

Boiler material

Stainless steel AISI 304

(with interchangeable heating element)

Boiler volume

5 L

Tanks

Water: **4 L** - Det: **2 L**

Maximum output

3,65 kW

Boiler output

3,6 kW

Steam production

97 g/min | 5,9 Kg/h

Power supply

1 ~ 230 V - 50/60 Hz

Steam T°

6 bar: **165° C** - 8 bar: **174° C**

Detergent T°

90° C - 160° C

Vacuum output

1,2 kW

Vacuum drum capacity

14 L

Air flow

200 m3/h

Depression

2200 mm

Power cord

8 m

Weight

45 Kg

Packaging

73x48x63 cm



New digital control panel



APPLICATIONS



Single-phase steam generator for usage in the professional sector, with a polyethylene body, unlimited steam autonomy thanks to the automatic refilling system with an internal water tank (electromechanical water level control system inside the boiler – True Temp™). **Possibility to inject detergent** (or hot water as optional) **together with steam. Equipped with a wet&dry vacuum cleaner with float.**

The steam generator's front panel is **equipped with an electric console with commands for a timer, a thermometer and a pressure gauge; the digital display will advise the user about the necessity to proceed with the boiler maintenance.**



TOOLS



RADAMES 6 BAR
Steam & vacuum 165°C



STAR 6 BAR
Steam & vacuum 165°C



KIT CAR WASH STAR 8 BAR
Steam & vacuum 174°C



CHEWING GUM REMOVAL
Steam & vacuum 165°C




System tested by the
University of Verona

STEAM MOP
Steam 165°C

